

Primacy & Ranking of UEFA Soccer Teams from Biasing Organizing Rules

Marcel Ausloos^{1,*}, Adam Gadomski³, Nikolay K. Vitanov⁴

^{1,*} Royal Netherlands Academy of Arts and Sciences*,
Joan Muyskenweg 25, 1096 CJ Amsterdam, The Netherlands

² GRAPES, rue de la Belle Jardinière 483, B-4031 Liège,
Federation Wallonie-Bruxelles, Belgium
email: marcel.ausloos@ulg.ac.be

³ University of Technology and Life Sciences,
Department of Physics, Institute of Mathematics and Physics,
PL-85-796 Bydgoszcz, Poland
email: agad@utp.edu.pl; agad@atr.bydgoszcz.pl

⁴ Institute of Mechanics, Bulgarian Academy of Sciences,
Acad. G. Bonchev Str., Bl. 4, BG-1113 Sofia, Bulgaria
email: vitanov@imbm.bas.bg

June 19, 2014

Abstract

A question is raised on whether some implied regularity or structure, as found in soccer team ranking by the Union of European Football Associations (UEFA), is due to implicit game result value or score competition conditions. The analysis is based on considerations about complex systems, i.e. searching whether power or other simple law fits are appropriate to describe some internal dynamics. It is observed that the ranking is specifically organized: a major class made of a few teams emerges after each game season. Other classes which apparently have regular sizes subsequently occur. Thus, the notion of Sheppard primacy index is envisaged to describe the findings. Additional primacy indices are discussed for enhancing the features. These measures can be used to sort out peer classes in more general terms. A very simplified toy model containing ingredients of the UEFA ranking rules suggests that such peer classes are an extrinsic property of the ranking, as obtained in many nonlinear systems under boundary condition constraints.

*Associate researcher

1 Introduction

Nonlinearity and complexity [1]-[3] are common features of a large number of systems studied in modern science [4]-[6]. They are often investigated by nonlinear dynamics methods [7]-[9]. In the last decade or so, these methods have been applied to many social, economic, and financial systems [10]. In many complex systems, researchers have detected the existence of power laws, for a large variety of characteristic quantities. Such power laws have become very useful tools for studying complex systems because the functional relations can indicate that the system is controlled by a few rules that propagate across a wide range of scales [11]-[14].

For example, ranking analysis has received much attention since Zipf [15] observed that a large number of size distributions, N_r , can be approximated by a simple *scaling (power) law* $N_r = N_1/r$, where r is the ranking parameter, with $N_r \geq N_{r+1}$, (and obviously $r < r + 1$). This idea has led to a flurry of log-log diagrams showing a straight line through the displayed data. More generally, one considers the so-called rank-size scaling law:

$$y_r = \frac{a}{r^\alpha} . \quad (1.1)$$

where the scaling exponent α is considered indicative of whether the size distribution y_r is close to some optimum (= equilibrium) state [15], i.e. when $\alpha = 1$. The amplitude a can be estimated from the normalization condition. For the discrete distribution, Eq.(1.1), $a \simeq r_M/\zeta(\alpha) \sim r_M/2$, where r_M is the largest value of r and $\zeta(\alpha) \equiv \sum_{k=1}^{\infty} k^{-\alpha}$ is the Riemann zeta function [16].

This scaling hypothesis might be applied in sport competition ranking, - though the number of scales would obviously be finite. Nevertheless, measurements or ranking in sport competitions, while frequently reported in the media, lack the necessary descriptive power which studies of complex systems usually present and require in physics investigations. An analysis of data from a specific nonlinear complex system, the Union of European Football Associations (UEFA) team ranking, is here below presented as a specific and interesting modern society example. Deviations at low and high rank r , from the empirical fits to a single power law indicates the existence of different regimes. For completeness, the UEFA rules leading to its team ranking coefficient are briefly recalled in Appendix A. They suggest extrinsic biases.

Introducing an indirect "primacy measure" based on Sheppard hierarchy index [17], - (see Appendix B for a review of Sheppard's original index), it is found that UEFA teams can be organized in several well defined classes. Whether or not this is related to or could be used for weighting performances is speculation, but cannot be *a priori* disregarded. However, practical applications cannot be recommended from this report, because any recommendations would be outside the present scientific aims, i.e. some search for structural features in a social complex system, - team ranking.

The paper is organized as follows. In Sect. 2, a brief review of the literature on ranking, and in particular for soccer teams, is presented. The data analysis is performed in Sect. 3. Simple empirical laws are briefly reviewed in order to introduce possible fit laws. The rank-size relationship, Eq.(1.1), is assessed for UEFA teams. Various fits point to features, emphasized in figures displaying

various empirical laws. In Sect. 4, the hierarchy inside the top classes is further analyzed, starting from the conventional primacy index of Sheppard [17], through additional measures of primacy. Several remarks serve as conclusions, in Sect. 6.

A very simplified "toy model" is numerically discussed in Appendix C, - in order to show that under UEFA team ranking rules, gaps necessarily emerge between classes of teams, - thereby suggesting that the features mimic thermodynamic dissipative structures in finite size systems.

2 State of the Art

The rank-size relationship, Eq.(1.1), has been frequently identified and sufficiently discussed in the literature to allow us much of the present investigation to be based on such a simple empirical law. This may be "simply" because the rank-size relationship can be reached from a wide range of specific situations. Indeed, Zipf's law, Eq.(1.1) with $\alpha = 1$, and its generalizations, can be obtained in different models: one example is tied to the maximization of the entropy concept [18]; another stems from the law of proportionate effect, so called Gibrat's law [19]. Recall that Gibrat's law describes an *evolution* process, supposing that the growth rate of something is independent of its size and previous rank.

Since the specialized literature on team ranking, is not common in the physics literature, a brief "state of the art" is presented here below, only pointing to *a few* publications:

- Stefani [20] pioneering survey of the major world sports rating systems in 1997
- Cassady *et al.* [21] discussion of a customizable quadratic assignment approach for ranking sports teams in 2005,
- Churilov and Flitman's [22] proposal that the Data Envelopment Analysis (DEA) model for producing a ranking of teams or countries, - like in the olympics games, in 2006,
- Broadie and Rendleman's [23] audacious question of whether the official World golf rankings are biased.

In one highly conclusive paper, entitled *Universal scaling in sports ranking* [24], the authors studied the distributions of scores and prize money in various sports, showing that different sports share similar trends in scores and prize money distributions, whence pointing to many implications. In a related study, Pilavci's Masters thesis (see [25] and references therein) evaluated economic, demographic, and traditional factors which affect soccer clubs on-pitch success in UEFA.

Other ranking studies, for National Collegiate Athletics Association (NCAA) and for National Football League (NFL) teams [26, 27], have been based on subjective considerations or indirect measures.

Specifically for soccer *ranking* themes, the following studies should be mentioned:

- Kern and Paulusma [28] discuss FIFA rules complexity for competition outcomes and *team* ranking in 2001;

- Macmillan and Smith [29] explain such a *country* ranking in 2007;
- Ausloos et al. [30] compare the country FIFA ranking, - based on games between national squads, and the country UEFA ranking, based on team game results;
- Constantinou and Fenton [31] determine the level of "ability" of (five English Premier League seasons) soccer teams by ratings based on the relative discrepancies in scores between adversaries.

Other papers with some *soccer* related content can be mentioned for completion: e.g., the flash-lag error effect in soccer games [32], the 'best' team win frequency [33], the upset frequency as a measure of competitiveness [34], the "evaluation" of goals scored in Euro 2012 [35], the goal distributions [36, 37], the relationship between the time of the first goal in the game and the time of the second goal [38], the goal difference as a better measure for the overall fitness of a team [39], the general dynamics of soccer tournaments [40], and the structure, speed and play patterns of World Cup soccer final games between 1966-2010 [41].

These interesting papers are at the interfaces of various disciplines and are often tied to various technical questions or are limited to the analysis of distribution functions, as often found for complex systems, but without conveying questions tied to self-organizations [42] or external constraints [43].

3 UEFA team analyzed data sets

Usually, a ranking represents the overall performance over the period of a whole season. In particular, UEFA soccer teams are ranked according to results based on the five previous "seasons" for teams having participated in the UEFA Champions League and the UEFA Europa League¹. The rules leading to such a ranking are reviewed in App.A. They are more complicated than a "win-draw-loss" rating. The ratings depend on the success at some competition level, and differ according to the competition. One should be aware that a UEFA country coefficient is used to pre-determine the number of teams participating for each association either in the UEFA Champions League or in the UEFA Europa League.

A UEFA coefficient table is freely available and is updated regularly depending on the competition timing. The present data, and its subsequent analysis, are based on the Sept. 2012 downloaded Table. The team UEFA coefficients are calculated as described in the App. A boxes, and are derived from

<http://fr.uefa.com/memberassociations/uefarankings/club/index.html>.

The number of concerned teams is 445; the UEFA coefficients range from ~ 134.7 down to ~ 0.383 . For the sake of illustration, the first 60 teams and their UEFA coefficient (in Sept. 2012) are listed in Table 1. The statistical characteristics of these UEFA coefficients are given in Table 2, 2nd column. Note that the kurtosis (a measure of the fourth moment of the distribution, in fact equivalent to a specific heat in thermodynamics) changes sign (near $r \simeq 35$) according to the number of data points taken into account. By analogy with phase transitions, one should imagine the existence of a "critical rank". In fact,

¹One should notice that it is not easy to compare teams in different divisions or leagues.

rank	Team name	Coeff.	rank	Team name	Coeff.
1	FC Barcelona	134.6906	2	FC Bayern München	114.8653
3	Manchester United	113.9074	4	Chelsea FC	111.9074
5	Real Madrid CF	111.6906	6	Arsenal FC	96.9074
7	FC Internazionale	91.3962	8	Atletico de Madrid	88.6906
9	FC Porto	87.0668	10	Valencia CF	84.6906
11	Olympique Lyonnais	84.0332	12	FC Shakhtar Donetsk	80.6520
13	SL Benfica	79.1068	14	Milan AC	78.3962
15	CSKA Moskva	76.4330	16	Olympique de Marseille	75.0332
17	Liverpool FC	68.9074	18	FC Schalke 04	66.8653
19	Sporting Club Portugal	66.0668	20	Manchester City	64.9074
21	Villarreal CF	64.6906	22	Dynamo Kiev	62.6520
23	PSV Eindhoven	61.5461	24	FC Zenit St.Petersburg	60.4330
25	Ajax Amsterdam	59.5461	26	Sporting Braga	59.1068
27	SV Werder Bremen	57.8653	28	FC Twente Enschede	56.5461
29	Metalist Kharkiv	53.1520	30	Tottenham Hotspurs FC	52.9074
31	Hamburger SV	52.8653	32	Sevilla CF	52.1906
33	Olympiakos Pireus FC	51.4000	34	AS Roma	50.8962
35	VfB Stuttgart	49.8653	36	Juventus FC	49.3962
37	Paris Saint Germain	49.0332	38	Girondins de Bordeaux	48.0332
39	Athletic Bilbao	47.6911	40	Standard de Liège	45.2000
41	FC Basel	44.5830	42	Bayer Leverkusen	43.8657
43	Fulham FC	42.9074	44	FC Kobenhavn	42.8600
45	Lille OSC	42.0332	46	Rubin Kazan	40.9330
47	Fiorentina AC	40.3962	48	SSC Napoli	40.3962
49	RSC Anderlecht	40.2000	50	Panathinaikos FC	39.9000
51	Udinese Calcio	39.3962	52	AZ Alkmaar	39.0456
53	VfL Wolfsburg	38.8653	54	Spartak Moskva FC	37.4330
55	APOEL Nicosie	35.2170	56	Club Brugge KV	35.2000
57	Galatasaray SK	35.1050	58	BATE Borisov	33.9250
59	Besiktas JK	33.6050	60	Borussia Dortmund	32.8653

Table 1: Top 60 UEFA ranked teams according to the Sept. 2012 coefficients

the μ/σ function, which represents the order parameter in phase transition studies, evolves as an exponential ($\sim e^{-r/73}$) rather than as a power law, toward some "critical rank". If the analogy is conserved, such an exponential behavior suggests to consider the feature as one found at the Kosterlitz-Thouless transition [44] in the 2D XY model, where magnetic vortices are topologically stable configurations, - as in spin glasses or thin disordered superconducting granular films.

For completeness, and noting that the fits are non-linear, the present study uses the Levenberg-Marquardt algorithm [45, 46, 47, 48] in the present study, - except in Fig. 4 where a simple least square fit has been used for simplicity. The error characteristics from the fit regressions, i.e. χ^2 , d, the number of degrees of freedom, the p -value [24, 49, 50], and the R^2 regression coefficient, are given in Table 3. It can be observed that in all cases the p -value is lower than 10^{-6} (abbreviated by 0 in the Table). Each χ^2 value is rounded to the closest integer.

3.1 Empirical Ranking Laws

Beside the classical two-parameter power law, Eq.(1.1), other, often used, three-parameter statistical distributions, can be used

- the Zipf-Mandelbrot-Pareto (ZMP) law [51]:

$$y(r) = b/(\nu + r)^\zeta. \quad (3.1)$$

- the power law with exponential cut-off [52]:

$$y(r) = c r^{-\mu} e^{-\lambda r}, \quad (3.2)$$

- the mere exponential (two-parameter fit) case

$$y(r) = d e^{-\eta r}. \quad (3.3)$$

The ZMP law leads to a curvature at low r in a log-log plot and presents an asymptotic power law behavior at large r . Note that both α and ζ exponents, in Eq.(1.1), and Eq.(3.1). must be greater than 1 for the distributions to be well-defined (also greater than 2 for the mean to be finite, and greater than 3 for the variance to be finite). On the other hand, since ν in Eq.(3.1) is not necessarily found to be an integer in a fitting procedure, r can be considered as a continuous variable, for mathematical convenience, without any loss of mathematical rigor; the same holds true for the fit parameters a , b , and c , and the "relaxation ranks" λ and η .

3.2 Data Analysis

A few simple and possible various rank-size empirical distributions are shown Figs.1-3.

From Fig.1, the exponential law would appear to be more appropriate than the power law, - in view of the regression coefficient R^2 values (~ 0.97 vs. ~ 0.80). However, the origin of the numerical value of the coefficient in the exponential can be hardly imagined from theoretical arguments. One can merely attribute it to some "relaxation rank" ~ 50 . The power law exponent $\alpha \sim 0.54$

on the other hand is rather far from 1, and low². In fact the marked deviations at low and high rank r , from the empirical fits, in particular from the single power law fit, indicates the existence of different regimes. Note the accumulation of data points *below* the (power law) fit occurring for teams with very low r , i.e. $r \leq 5$. This suggests the existence of a so-called queen effect [53] for the top 5 teams.

This effect can be emphasized through the use of the ZMP law, Eq.(3.1), as shown in Fig.2, - using a log-log plot for emphasis of the goodness of fit in the low rank regime. Note the successive deviations of the data from the fits, whence again suggesting different regimes. In Fig.2, a fit by a power law with exponential cut-off, Eq.(3.2), is also displayed. These three-parameter ZMP, Eq.(3.1), and the power law with cut-off, Eq.(3.2), necessarily lead to a better R^2 (~ 0.99) than the two-parameter fits. A goodness-of-fit test indicates that the latter two empirical laws can be further considered. The meaning of the ν value, in the ZMP law Eq.(3.1), has been discussed elsewhere [53, 54, 55, 56, 57]. On the other hand, the power law with exponential cut-off [52] has been discussed as occurring from the "random group formation", - in a sport research context [24].

Thus, it can be admitted that marked deviations also occur for $r \geq 100 \sim 120$. Therefore, when examining the $r \leq 100$ range, several regular size regimes appear, after zooming on the vicinity of the marked fit deviations at ranks between 10 and 100 as shown for the power law with cut-off case, on a log-log plot, in Fig.3. Successive arrows indicate "data steps" at $r \simeq 16, 28, (39), 50, 62, 73$, at least. This allows us to emphasize an intrinsic structure in such regimes with a "periodicity" $\simeq 11$ or 12.

Therefore, since different regimes can be seen emerging at various intervals, the team ranking behavior can be more precisely re-examined. This leads to much statistical analysis and many fit trials. Two types, either an exponential or a power law, are shown for three different sub-selections in Fig.4, i.e. the top 50, 40 and 30 teams. The statistical characteristics of the "sample" distributions are given in Table 2, columns 3-5. The increase in the R^2 value with respect to the overall regime (in Fig.1) is remarkable, for the power law fits, i.e. $R^2 \simeq 0.797 \rightarrow 0.98$, suggesting that the 50 top teams or so "behave" in a different way from the others $r > 50$. Observe the value of the power law exponent: $\alpha \sim 0.3$, in Fig. 4, in this regime, instead of 0.53 for the whole set, in Fig. 1. The evolution of the regression coefficient is very mild when changing the "sample size", see Table 3. Observe that the fits in Fig. 4 do not indicate any striking difference between the exponential and power law fits, from the R^2 or χ^2 value criteria. Note from Fig. 4 that the numerical value of the exponential "relaxation rank", i.e. the prefactor ($\simeq 0.02$) for $-x$, is still 50, like the value of the "relaxation rank" in Fig.1.

Next, the behavior of the teams above $r = 50$ can be quickly examined for completeness: see Fig. 5. Observe that the exponent $\alpha \sim 5/3$ for these high ranking teams differs significantly from the corresponding one for (the best) low ranked teams, ~ 0.36 , as displayed in Fig. 4. Again, this emphasizes some difference in "behavior" between the teams ranked below or above $r \simeq 50$. The method of "primacy analysis" seems thus of subsequent interest.

²Note that the amplitude of the power law is about $r_M/2$




Figure 1: Possible empirical relationships between their UEFA coefficient (red dots) and the 445 team ranking in Sept. 2012; both an exponential (red dashes) and a power law (black dots) fit are shown, with the numerical values of the parameter fits and the corresponding regression coefficient R^2




Figure 2: Possible empirical relationships between their UEFA coefficient (red dots) (here called y) and the 445 team rank (here called x), in Sept. 2012; the numerical values of the fitting parameters and the regression coefficient R^2 corresponding to a ZMP law, Eq.(3.1), (black dots) and a power law with exponential cut-off, Eq.(3.2), (red dashes) are given




Figure 3: Log-log plot of the UEFA coefficient values (red dots) of the (top 150) teams in Sept. 2012. Jump deviations from the power law with exponential cut-off (red dash lines), Eq.(3.2), are indicated by up pointing arrows at various ranks between 10 and 100. The pointing down arrow marks the rank ($r \sim 100$) separating the glass state from the disordered state




Figure 4: Possible empirical relationships between the UEFA coefficient for the top 30 (red half filled squares), top 40 (blue half filled squares), or top 50 (black filled squares), teams, as ranked in Sept. 2012. Both an exponential and a power law fit are shown, in each case, with colors corresponding to the respective data. The numerical values of the parameter fits and the corresponding regression coefficient R^2 are given




Figure 5: Possible empirical relationships between the UEFA coefficient (black diamonds) for teams above the 50 rank and their rank in Sept. 2012. Both an exponential (red dashes) and a power law (blue dots) fit are shown, with the numerical values of the fitting parameter and the corresponding regression coefficient R^2

	UEFA coeff	top50	top40	top30	below50
min	0.3832	39.9	45.2	52.907	0.3832
Max	134.69	134.69	134.69	134.69	39.396
mean (μ)	14.053	65.586	71.531	78.822	7.5299
Median	5.475	59.326	64.799	75.733	4.4250
RMS	25.45	69.553	74.896	81.582	10.832
Std. Dev. (σ)	21.242	23.389	22.482	21.402	7.7970
Variance	451.23	547.03	505.42	458.06	60.794
Std. Err.	1.007	3.3077	3.5546	0.474	0.3923
Skewness	2.6887	1.0773	1.0167	0.89635	1.8917
Kurtosis	7.8008	0.45378	0.2470	-0.02845	3.5043
μ/σ	0.662	2.804	3.181	3.683	0.9657

Table 2: Summary of statistical characteristics for the Sept. 2012 UEFA coefficient team ranking data

<i>empirical law</i>	Eq.	Fig.	χ^2	d	p	R^2
pw	(1.1)	1	40678	444	0	0.797
exp	(3.3)	1	5826	444	0	0.972
pwco	(3.2)	2,3	1477	444	0	0.99
ZMP	(3.1)	2	2659	444	0	0.99
pw	(1.1)	4	2195	49	0	0.92
pw	(1.1)	4	1474	39	0	0.93
pw	(1.1)	4	975	29	0	0.93
exp	(3.3)	4	1417	49	0	0.95
exp	(3.3)	4	1076	39	0	0.95
exp	(3.3)	4	677	29	0	0.95
pw	(1.1)	5	216	394	0	0.98
exp	(1.1)	5	821	394	0	0.94

Table 3: Summary of regression fit characteristics: χ^2 , d: number of degrees of freedom; p : *p - value*, and R^2 : regression coefficient [50]

4 Analysis of primacy

It has been seen here above that the UEFA team ranking distribution can be close to a rank-size relationship. However, these distributions are primate distributions [17], i.e. one or very few teams predominate the distribution shape leading to a convex distribution that corresponds to the presence of a number of teams, 50 or so, with much larger coefficients than the mean coefficient ~ 14 (std. dev. ~ 21.25 ; see Table 2). Therefore, concentrating on such "top teams", it is of interest to raise the question whether the UEFA coefficient ranking "method" implicitly induces some inner structure. In order to do so, the notion of primacy measure is developed here below.

4.1 Sheppard Primacy measure

Measures of "primacy" can be of the kind

$$Pr_{(k-1)}^{(1)} = \frac{N_1}{\sum_{r=2}^k N_r}, \text{ with } k = 2, 3, \dots, \quad (4.1)$$

measuring the percentage of a contribution in the whole distribution. In particular, Eq.(4.1) gives a numerical value for the primacy of the best ranked entity with respect to the next $k - 1$ entities, since these are ordered by decreasing values.

One can go on and define

$$Pr_{(k_M-1)}^{(j)} = \frac{N_j}{\sum_{r=j+1}^{k_M} N_r}, \text{ with } k_M = 2, 3, \dots, \quad (4.2)$$

in order to measure the primacy of any entity j over selected $k_M - j - 1$ lower entities. Obviously this number is reduced when j increases, due to the necessarily finite size $k_M \leq r_M$ of the system.

If a power law of the kind $N_r = N_1/r^\alpha$, - see Eq.(1.1), is substituted into each of these measures, it is obvious that the corresponding index of primacy depends on α . Whence rank-size relationships with different α will have different "levels of primacy", which consequently will be hardly comparable to each other.

Sheppard [17] tried to avoid this puzzle by formulating a *primacy index* that is independent of α (see Appendix A for some further introduction). He defined

$$Pr_N = \frac{1}{N-2} \sum_{r=1}^{N-2} \left[\frac{\ln(N_r + 1) - \ln(N_r)}{\ln(N_{r+2}) - \ln(N_{r+1}))} \right] \left[\frac{\ln(r+2) - \ln(r+1)}{\ln(r+1) - \ln(r)} \right]. \quad (4.3)$$

4.2 Modified Sheppard-idea based primacy indices

However the primacy index of Sheppard, Eq.(4.3), contains the difference between two logarithms in the denominator. Thus, when two consecutive UEFA coefficients have almost the same value, this difference can be very small, thus leading to a huge value of the Sheppard index. In order to avoid such problems, other "local primacy measures" can be considered, forcing the difference between two closely related (logarithms of) N_r to be present only in the numerator. Keeping $N_{r+1} \leq N_r$, (and $r+1 > r$), these measures are

$$V_r = - \frac{\ln(N_{r+1}) - \ln(N_r)}{\ln(r+1) - \ln(r)} \quad (4.4)$$

and

$$W_r = \frac{\ln(N_r) - \ln(N_{r+1})}{\ln(r+1) - \ln(r)} - \frac{\ln(N_{r+1}) - \ln(N_{r+2})}{\ln(r+2) - \ln(r+1)} \equiv V_r - V_{r+1} \quad (4.5)$$

Observe that V_r and W_r are related to the next team(s) in the ranking, and measure a sort of distance. The results of the applications of such formulae for the problem at hand are shown in Fig. 6 for V_r and Fig. 7 for W_{r+1} .

These enlightening figures indicate well defined regime borders, corresponding to specific teams, as indicated in Fig. 6. For $r \geq 5$, the method confirms that the successive "regime sizes" remain rather equal in value (~ 11 or 12). There is also some "accumulation" of teams near the border, e.g. as seen in Fig. 7, - reminding of a sharp transition behavior.

These features are also reminiscent of the occurrence of some sort of granular structure along a 1-dimensional space, or more generally dissipative structures [59]. Several analogies come in mind, e.g.: (i) hot spots in ballast resistors [60, 61] or superconductors [62]; (ii) invasion waves in combustion [63, 64], (iii) Marangoni tears, and (iv) Benard cells, as in cloud band structures [65], or (Spitzberg) stone structures [66, 67]. In all such so called intermittent processes in an open medium, the interplay between feedback mechanisms is known to induce temporary structures.³

In order to illustrate such features through a simple model, consider the nonlinear open system known as the 1-dimensional ballast resistor. It describes the interplay between the input current leading to a Joule effect (RI^2) and the energy dissipation due to the heat transfer with the surrounding environment wherein the transfer is controlled by the heat capacity and heat conductivity of the wire [60, 61]. In a first approximation, this leads to searching for the stability points of a system in a cubic potential. Whatever the boundary conditions, the system can become heterogeneous with hot and cold domains which themselves can become heterogeneous through Hopf bifurcations [62]. The sizes of the domain and their motion (and life time) can be calculated [60, 61, 62]. The connection to an open⁴ social system, for which the internal ranking rules look like unstable conditions for self-organization, is not immediate. However, the analogy seems pertinent enough to suggest that models of intermittent processes can serve as bases for further generalization.

For illustrative purpose, a (very imperfect) toy model is presented in App. C in order to show that UEFA like rules, recalled in App.A, i.e. attributing points to teams in a (necessarily) biased way over several seasons, imply the opening of gaps in the UEFA coefficient structure, thus regimes. The model is quite simplified, whence a search for properties similar to the mentioned Kosterlitz-Thouless transitions or characteristics of dissipative structures is quite outside the scope of the present paper.

³The connection between transitive continuous ordering of states by a ranking function and thermodynamic entropy is known in conventional thermodynamics under the name of adiabatic accessibility. This principle was introduced by Caratheodory [68] and used by Lieb and Yngvason [69] See physical arguments in favor of connecting the entropy potential to the rank in [63, 64].

⁴the number of UEFA ranked teams changes every year or so




Figure 6: Primacy index V_r indicating some inner structure in the 50 top teams ranking, in Sept. 2012. The "border lines" are emphasized by team acronyms




Figure 7: Primacy index W_{r+1} reflecting the inner structure, found in the V_r *vs.* r plot, in the 50 top UEFA teams ranking, in Sept. 2012. The "border lines" define "classes", as emphasized by the sharp W_{r+1} transitions

5 Discussion

As seen in Fig. 5, the exponent $\beta \sim 5/3$ for the high rank team regime much differs from the corresponding one $\sim 1/3$ for (the best) low rank teams (Fig.4). In a scientific field, like condensed matter physics, where exponents are frequently used for sorting out processes, a low value of the exponent stresses the narrow range of "activity". The five-fold ratio between two exponents would indicate somewhat "long range" or "diffuse properties" for the system (= regime) with the largest exponent.

As in thermodynamics, the β exponent drastically different values may indicate a "state phase" change, between a compressed phase and one (or more) disordered phases. In fact, one can further analyze the data from a statistical point of view, arguing that the ratio μ/σ between the mean and the standard deviation of rank-size distributions can be considered as the order parameter, as in studies of phase transitions. As shown in Table 2, such a ratio steadily increases when reducing the considered number of "top of the top" teams, - forming the ordered state. On the other hand, the ratio μ/σ decreases below 1 for the "below the top 50" teams, thereby indicating a sort of ordered-glass state phase transition. The pointing down arrow in Fig. 3 marks such a "critical rank" between the medium rank teams (glass or vortex state) and the high rank teams (disordered state), in the present case.

Such findings on structures in organized competitions, like the UEFA Champions League and Europa League, invite some thought. In these apparently specific (team) competitions, the "self-organization scores" determine that the predominant direction of evolution of the system is directed towards regular structures, thus *less opened* competitiveness. These competitions seem to be paradigmatic cases. However, the findings suggest ways for discussing many other, more or less abstract, competitions, as complex social systems are, when there are imposed competition rules (and scores) in their generic form [63, 64]. This induced structuralization was also seen in other (peer-to-peer) competitions between industrial companies [70]. Therefore, one can audaciously state that ranks in social competition might be unavoidable and structures can hardly be modified, - because of classical thermodynamics principles. It remains to be studied and discussed whether quantum-like ("probabilistic") constraints would be allowing more competitiveness and subsequent ranking modification.

6 Concluding remarks

First, it should be stressed that it has been searched whether the classical rank-size relationships [13, 58] can be treated as indicators of a *sport team class system*, taken as a complex system and worthy of a scientific approach, - as are many dynamical systems nowadays. A norm of performance for teams or team budget effects have not been considered. In this paper, we discuss the ranking in the particular case of UEFA teams, at first not debating the value of the points attributed to victory or loss at some competition level. Yet, their somewhat relative values arising from some arbitrariness underlines the present investigation and leads to harsh conclusions.

First, a conclusion is reached that the distribution of UEFA team ranking does *not* follow a single power law nor an exponential. Instead, it appears that

the ranking should be grouped into classes. The rank-size distribution for these classes can be approximated by a mere scaling (power) law, with a quite different exponent, $\simeq 1/3$ or $5/3$, - suggesting a sort of order-disorder phase transition, in a thermodynamics-like sense, between the lowest and highest rank teams. Moreover, through this log-log search for an empirical law, it is found that structures exist in the overall classification. The medium rank regime is made of several "glassy" states. The very high ($r \geq 100$) ranks corresponding to a disordered state. Along this analogy, the rules establishing the team UEFA coefficients act like a magnetic field inducing various structures in a magnetic or superconducting system.

In addition, in Sect.4, an index has been introduced in order to enhance regimes in data ranking. Through the "team primacy" investigation for the top group of teams, on the basis of a modification of the conventional Sheppard index of primacy, the regimes are emphasized as extrinsically induced structures. It has been indicated that measures, called V_r and W_r , independent of the empirical law functional form, lead to subsequent numerical results pointing to some inner structure of the team rank-value distribution, according to the present set of UEFA rules. It can be guessed, without more mathematical work than is necessary, that the inner structure is likely tied to the pool, in the first rounds, followed by the "direct elimination" tournament-like process [40] in UEFA competition, and the "increase in value" of the team when progressing further in the competitions through an accelerating effect. with a set of nonlinear constraints (similar to boundary conditions) inducing an unstable organization, similar to what is found in intermittent processes, when forced cycles drive an interplay between (two or several) feedback mechanisms and leading to visible physically characterized zones [59].

The (very imperfect) toy model presented in App. C points to the opening of gaps when values of game results and tournament forms are imposed. Nevertheless, this very simplified model should suggest to the reader further research, through simulation or analytic work, in order to study equivalent properties similar to those characterizing the mentioned Kosterlitz-Thouless transitions or characteristics of dissipative structures, hinted to be appearing in the UEFA coefficient rank-size structure, thus biased regimes.

In general, strongly intransitive competitions, in any society, - dare we say, can display types of behavior associated with complexity, like competitive co-operation and leaping cycles. External influences induce structures in many physical processes. Through an example, we bring some evidence of the universality of the features. Note that the analogy with strict thermodynamics weakens as competitive systems become more intransitive [63, 64].

In future work, it would be of interest to examine whether the Sheppard generalized ideas and measures could be used to quantify how much a complex system rank-size distribution deviates from the usual power-law rank-size relationship, Eq.(1.1). Moreover, one could ask whether this hyperbolic form has truly to be chosen as an optimum basis for discussing rational ranking rules. These measures seem to allow one to introduce a finer description of classes. In so doing, they might also serve for weighting performances, as in the case of NCAA College Football Rankings [26], by organizing more homogeneously (depending on team budgets and expectations [24]) based team competitions or regulating various sport conditions in team ranking. This may also imply some consideration to relaxing the rule about the number of teams of a "coun-

try” which may play in the UEFA competitions, if more competitiveness is of interest. An impossible dream?

Sports other than soccer are open to further investigations. Then, it will be interesting to see whether some universal features occur or whether there are marked differences.

Acknowledgments

This work has been performed in the framework of COST Action IS1104 ”The EU in the new economic complex geography: models, tools and policy evaluation”. MA and NKV acknowledge some support through the project ’Evolution spatiale et temporelle d’infrastructures régionales et économiques en Bulgarie et en Fédération Wallonie-Bruxelles’, within the intergovernmental agreement for cooperation between the Republic of Bulgaria and the Communauté Française de Belgique. A partial support by BS39/2014 is acknowledged by AG. Thanks to Peter Richmond and Wayne K. Augé II for much improving the readability of the paper.

Appendix A: UEFA score rules

Box #1: Champions League points system

- 1st qualif. round elimination : 0.5 pts,
- 2nd qualif. round elimination : 1 point,
- Group stage participation : 4 points,
- Group stage game win : 2 points,
- Group stage game draw : 1 point,
- Round of 16 participation : 4 points

N.B.

Since the 2009/2010 season, clubs have been awarded an additional point if they reach the round of 16, quarter-finals, semi-finals or final.

Points are not awarded for elimination in the 3rd qualifying round or play-offs because the teams go to Europa League

Box #2: Europa League points system

- 1st qualif. round elimination : 0.25 pts
- 2nd qualif. round elimination : 0.5 pts,
- 3rd qualif. round elimination : 1 point,
- Play-off elimination : 1.5 points,
- Group stage game win : 2 points,
- Group stage game draw : 1 point,

N.B.

Since the 2009/2010 season, clubs have been guaranteed a minimum of 2 points if they reach the group stage, and are awarded 1 additional point if they get to the quarter-finals, semi-finals or final.

Some brief explanation, e.g. based on the 2013-14 UEFA competitions, can be useful in order to follow the competition organization, team elimination rule and subsequent point counting, as indicated in the boxes here above. How many teams are selected, i.e. qualified, for the UEFA Champions League and the UEFA Europa League, is somewhat irrelevant for the present purpose. This is not discussed further. Details can be found in e.g. [http : //en.wikipedia.org/wiki/2013 – 14_UEFA_Champions_League](http://en.wikipedia.org/wiki/2013-14_UEFA_Champions_League) and in [http : //en.wikipedia.org/wiki/2013 – 14_UEFA_Europa_League](http://en.wikipedia.org/wiki/2013-14_UEFA_Europa_League).

A total of 76 teams participated in the 2013-14 UEFA Champions League. Such a number of teams and the subsequent number of rounds depend on the number of available days for such a competition in a season. First, note that

the qualif. round and play-off eliminations are direct confrontations between 2 teams, somewhat drawn at random. The process went as follows in 2013-14: four less well ranked teams had to go to the so called 1st qualif. round elimination. The two losers got each 0.5 pts; the winners joined 32 teams at the 2nd qualif. round elimination. The 17 losers got 1 pt each. The 17 winners of the direct confrontations qualified for the 3rd qualif. round elimination with 13 other teams. The 15 losers went to the Europa League play-off round (see below). The 15 winners of direct confrontations qualified for the Play-off round with 5 other teams. The 10 losers went to the Europa League Group stage round (see below). The 10 winners joined 22 "directly best qualified teams" for the "Group stage". These 32 teams were drawn into eight groups of four. In each group, teams played against each other (home-and-away) in a round-robin format. The group winners and runners-up advanced to the round of 16, while the (8) third-placed teams were directly entered in the 2013-14 UEFA Europa League round of 32 (see below). Thereafter, teams played against each other over two legs on a home-and-away basis, in a direct knockout phase, up to the one-match final. For the group stage and later rounds, the points were attributed as mentioned in Box #1.

In contrast, 194 teams participated in the 2013-14 UEFA Europa League. Among the 194 teams, 33 (=15+10+8; see above) were transferred from the Champions' League, according to the following process. The 161 qualified teams were ranked (from bottom to top) and inserted into the qualifying rounds as follows. In the first qualifying round, the 76 (less well ranked) teams played at home and away after a mere drawing (with the restriction that two teams from the same association could not play against each other). The 38 winners were merged with 42 better ranked teams for the 2nd qualifying round. The 40 winners went to the 3rd qualifying round and merged with 18 better ranked teams. The 29 winners from the third qualifying round were merged with better 18 ranked teams AND 15 losers (see above) from the Champions League third qualifying round to make a "play-off round" of 62 teams. The 31 winners from the play-off round went to the Group stage made of 48 teams, i.e. 7 directly qualified and 10 qualified from the play-off round of the Champions League (see above). The 24 winners were merged with the 8 "third placed teams from the Champions League Group stage" (see above) to form the "Round of 32". A direct knockout phase goes on thereafter on a home-and-away basis legs, up to the single match final. The 38 losers in the 1st qualif. round got 0.25 pt each; see Box #2. It is easy to note the team points thereafter.

In so doing, it is easily noted that the teams get points according to the level at which they were eliminated. Moreover, the number of obtained points increases much when a team participates in games at the group stage level.

Appendix B: on Sheppard Index of Primacy

Sheppard [17] proposed the following index of primacy;

$$Pr_N = \frac{1}{N-2} \sum_{r=1}^{N-2} \left[\frac{\ln(N_r) - \ln(N_{r+1})}{\ln(N_{r+1}) - \ln(N_{r+2})} \right] \left[\frac{\ln(r+2) - \ln(r+1)}{\ln(r+1) - \ln(r)} \right]. \quad (6.1)$$

Note the following logics behind this index: substitute the power law rank-size relationship, $N_r = N_1 r^{-\alpha}$, into the previous equation. The result is

$$Pr_N = \frac{1}{N-2} \sum_{r=1}^{N-2} 1 = 1 \quad (6.2)$$

whatever the value of α . Thus, for a rank-size relationship obeying a perfect power law, the index Pr_N has a value of 1, irrespective of the slope of the relationship on a log-log plot.

If Pr_N is less than 1, the value suggests a locally convex form for the distribution. This suggests the occurrence of some "strong primacy".

However, if (i) the size histogram fit deviates from the *perfect* power law, like in the figures in the main text, and in fact this is quite generally so⁵, and (ii) if the data is on the left of the fitting curve, then Pr_N will necessarily exceed 1, as in the queen effect.

In conclusion, the V_r and W_r measures do well quantify the possible features. The structural findings are henceforth much enhanced.

Appendix C: Toy model

In this Appendix, we want to indicate that the rule (see Appendix A) like *clubs have been awarded an additional point if they reach the round of 16, quarter-finals, semi-finals or final.* necessarily implies the opening of gaps in the ranking coefficient, whence the appearance of classes. In order to do so, we are much simplifying the UEFA competition conditions, and refer only to a virtual set of top teams for a tournament. We let more complicated numerical simulations for further work.

The simplification is as follows: we take a "never any draw occurrence" hypothesis, and consider the competition to be limited to the round of 16 participation and upper levels. We have *not* taken into account that UEFA is, as emphasized here above, not only giving extra points to a team going to the next round, but also that such a number of points depends on the level of the competition. This rewarding effect only enhances the number of points for the "best" teams, and truly *stresses* the point distribution in favor of such teams. We wish to make no "moral comment" on this point, but this reminds of a type of Matthew effect [71]: the winning teams are *quasi* always the same ones, and stay more at the top than others, though the ranks may change, of course.

Grossly speaking, it can be admitted for simplicity that all the teams have many victories in the previous rounds, and have quasi the same number of points, due to an approximate number of victories (2 pts), or of draws (1 pt). We are much aware that this is not the case [33], but the point distribution in the first rounds, here serves only as a rough background for the present considerations. At the round of 16 participations, all the 16 teams already got 4 points, because they participate (see Table 1 in App. A). Thereafter, 8 teams, say E, F, G, and H are eliminated, but have gotten 5 points because they participate at the round of 8; 4 pursue to the next round, say A, B, C and D. Taking the most extreme case, i.e. all these teams won (and thus make no

⁵No need to emphasize that this is always the case if R^2 is strictly < 1

draw), they get 9 points. For each further level, under the "never any draw" hypothesis, the winner at the final gets 24 points, the looser 20, the semi finalists which did not move up get 14 points, etc.

Consider 4 other seasons, and let the 8 top team be always the same ones. However, randomize the distribution of points. After a finite number of simulations, 100 for the sake of this Appendix, and after averaging the distributions, we obtain a distribution of points for the 8 top teams. The final number of points is rounded to the nearest integer. Under such a (very simplified) tournament process, the final distribution is found to be that displayed in Fig. 8.

Even though this is not exactly equivalent to the UEFA cases, the main emphasis on attributing rewarding points after winning some group and level stage is conserved. The equivalence between reality and the toy model resides in the "legal decision" of these attributed points through a ranking based on *a set of games* (irrespective of the detailed results). It should be obvious that the more group stages a team is wining, the more so the ranking level will be emphasized, and accelerated depending on the level of the stage. Exactly as in the toy example (no draw) tournament, the difference in the number of points between the best, medium, and worse teams will increase, and will be larger between the top teams (at low ranking) than for the high rank teams. Therefore, gaps will open up in the ranking coefficients, as already demonstrated in Fig. 8. It is (and in fact it will be) very difficult for teams to improve their ranking even though they can improve, - and conversely. Recall that the ranking is based on results over 5 seasons. Three recent cases are at hands for soccer fans or experts: Borussia Dortmund moved only to the 15th place in 2014 from the 60th in 2012, and Paris St Germain remained at the 37th place, while F.C. Barcelona is still at the second rank.

As a final numerical feature, the envelope of the (absolute value) of the maxima of the derivative of the UEFA coefficients can be precisely obtained through a hyperbolic fit, see Fig. 9, as $\simeq r^{-0.83}$, with $\chi^2 \sim 1.62$ for 9 degree of freedom, pointing to a 0.998 confidence level, - somewhat demonstrating the rigidity of the gap structure.




Figure 8: Simulated distribution of points, according to the "toy model" in App. C, for a 5 season competition between 16 teams;. Only the top 8 results are given in each season together with the final result




Figure 9: Envelope function to the distribution of the 10 first gap coefficient magnitudes for the UEFA ranking of the top teams in Sept. 2012

References

- [1] Axelrod R and Cohen M D 1999 *Harnessing complexity: Organizational implications on a scientific frontier* (New York, Free Press)
- [2] Oltivai Z N and Barabasi A L 2002 *Life's complexity pyramid*, *Science* **298**, 763-764
- [3] Arthur W B 1999 *Complexity and the economy* *Science* **284**, 107-109
- [4] Puu T and Panchuk A 1991 *Nonlinear economic dynamics* (Berlin, Springer)
- [5] Bertuglia C S and Vaio F 2005 *Nonlinearity, Chaos, and Complexity: The Dynamics of Natural and Social Systems* (Oxford University Press, Oxford)
- [6] Kwapień J and Drożdż S 2012 *Physical approach to complex systems*, *Phys. Rep.* **515**, 115-226
- [7] Tsallis C 2012 *Entropy, Computational Complexity* (Springer, New York) pp. 940-964
- [8] Thomson J M T and Stewart H B 1986 *Nonlinear dynamics and chaos: Geometrical methods for scientists* (New York, Wiley)
- [9] Strogatz S 2001 *Nonlinear dynamics and chaos: with applications to physics, biology, chemistry and engineering* (Reading, Ma, Addison-Wesley)
- [10] Vespignani A 2009 *Predicting the behavior of techno-social systems*, *Science* **325**, 425-428
- [11] Stanley H E, Amaral L A N, Buldyrev S V, Goldberger A L, Havlin S, Leschhorn H, Maass P, Makse H A, Peng C.-K, Salinger M A, Stanley M H R and Viswanathan G M 1996 *Scaling and universality in animate and inanimate systems*, *Physica A* **231**, 20-48
- [12] Ioannides Y M and Overman H G 2003 *Zipf's law for cities: an empirical examination*, *Regional Science and Urban Economics* **33** 127-137
- [13] Newman M E J 2005 *Power laws, Pareto distributions and Zipf's law*, *Contemp. Phys.* **46**, 323-351
- [14] Gabaix X, Gopikrishnan P, Plerou V and Stanley H E 2003 *A theory of power-law distributions in financial market fluctuations*, *Nature* **423**, 267-270
- [15] Zipf G K 1949 *Human Behavior and the Principle of Least Effort : An Introduction to Human Ecology* (Cambridge, Mass : Addison Wesley)
- [16] Titchmarsh E C 1951 *The Theory of the Riemann Zeta Function* (Oxford University Press)
- [17] Sheppard E 1982 *Budget size distributions and spatial economic change* WP-82-31, Working papers of the International Institute for Applied System Analysis, Laxenburg, Austria

- [18] Yanguang Chen 2012 *The rank-size scaling law and entropy-maximizing principle*, *Physica A* **391**, 767-778
- [19] Gibrat R 1957 *On economic inequalities*, *International Economic Papers* **7**, 53-70
- [20] Stefani R T 1997 *Survey of the major world sports rating systems*, *J. Appl. Stat.* **24**, 635-646
- [21] Cassady C R, Maillar L M and Salman S 2005 *Ranking Sports Teams: A Customizable Quadratic Assignment Approach*, *Interfaces* **35**, 497-510
- [22] Churilov L and Flitman A 2006 *Computers & Operations Research*, **33**, 2057-2082
- [23] Broadie M and Rendleman R J 2013 *Are the official world golf rankings biased?*, *Journal of Quantitative Analysis in Sports*, **9** (2), 127-140.
- [24] Deng Weibing, Li Wei, Cai Xu, Bulou A and Wang Qiuping A 2012 *Universal scaling in sports ranking*, *New J. Phys.* **14**, 093038,
- [25] Pilavci B 2011 *On-pitch success in UEFA Champions League: an empirical analysis of economic, demographic and traditional factors*, Master's thesis within Economics and Management of Entertainment & Art Industries, Jönköping University.
- [26] Fainmesser I, Fershtman Ch and Gandal N 2009 *A Consistent Weighted Ranking Scheme With an Application to NCAA College Football Rankings*, *J. Sports Econ.* **10**, 582-600
- [27] Govan A Y and Meyer C D 2006 *Ranking National Football League Teams using Google's Pagerank*, *Center for Research in Scientific Computing, North-Carolina State University, Raleigh, NC* pp. 27695-8205 <http://www.ncsu.edu/crsc/reports/ftp/pdf/crsc-tr06-19pdf>
- [28] Kern W and Paulusma D 2001 *The new FIFA rules are hard: complexity aspects of sports competitions*, *Discr. Appl. Math.* **108**, 317-323.
- [29] Macmillan P and Smith I 2007 *Explaining International Soccer Rankings*, *J. Sports Econ.* **8**, 202-213.
- [30] Ausloos M, Cloots R, Gadomski A and Vitanov N K 2014 *Ranking structures and Rank-Rank Correlations of Countries. The FIFA and UEFA cases*, *arxiv 1403.5683*
- [31] Constantinou A C and Fenton N E 2013 *Determining the level of ability of football teams by dynamic ratings based on the relative discrepancies in scores between adversaries*, *Journal of Quantitative Analysis in Sports*, **9**(1), 37-50.
- [32] Baldo M V C, Ranvaud R D, and Morya E 2002 *Flag errors in soccer games: the flash-lag effect brought to real life*, *Perception* **31**, 1205-1210.
- [33] Skinner G K and Freeman G H 2009 *Soccer matches as experiments: how often does the 'best' team win?*, *J. Appl. Stat.* **36**, 1087-1095.

- [34] Ben-Naim E, Vazquez F, and Redner S 2006 *Parity and predictability of competitions*, *Journal of Quantitative Analysis in Sports*, **2** (4), 1–12.
- [35] Leite W S S 2013 *Euro 2012: analysis and evaluation of goals scored*, *Int. J. Sports Science* **3**, 102-106
- [36] Bittner E, Nussbaumer A, Janke W, and Weigel M 2009 *Football fever: goal distributions and non-Gaussian statistics*, *Eur. Phys. J. B* **67**, 459-471
- [37] Bittner E, Nussbaumer A, Janke W, and Weigel M 2007 *Self-affirmation model for football goal distributions*, *Europhys. Lett.* **78**, 580024
- [38] Nevo D and Ritov Y 2013 *Around the goal: Examining the effect of the first goal on the second goal in soccer using survival analysis methods*, *Journal of Quantitative Analysis in Sports* **9** (2), 165–177.
- [39] Heuer A and Rubner O 2009 *Fitness, chance, and myths: an objective view on soccer results*, *Eur. Phys. J. B* **67** 445-458
- [40] Ribeiro H V, Mendes, R S, Malacarne L C, Picoli S Jr, and Santoro P A 2010 *Dynamics of tournaments: the soccer case*, *Eur. Phys. J. B* **75**, 327-334
- [41] Wallace J L and Norton K I 2013 *Evolution of World Cup soccer final games between 1966-2010: Game structure, speed and play patterns*, *J. Sci. Med. Sport* in press
- [42] Bak P, Tang C, and Wiesenfeld K 1987 *Self-organized criticality: An explanation of 1/f noise* *Phys. Rev. Lett.* , **59**, 381-384
- [43] Roehner B M 2007 *Driving forces in physical, biological and socio-economic phenomena: a network science investigation of social bonds and interactions*, (Cambridge University Press).
- [44] Kosterlitz J M and Thouless D J 1973 *Ordering, metastability and phase transitions in two-dimensional systems*, *Journal of Physics C: Solid State Physics* **6**, 1181-1203
- [45] Levenberg K 1944 *A method for the solution of certain problems in least squares*, *Quart. Appl. Math.* **2**, 164-168.
- [46] Marquardt DW 1963 *An Algorithm for Least-Squares Estimation of Non-linear Parameters* *Journal of the Society for Industrial and Applied Mathematics*, **11**(2), 431-441.
- [47] Lourakis M I A 2011 *A Brief Description of the Levenberg-Marquardt Algorithm Implemented by levmar*, *Foundation of Research and Technology*, **4**, 1–6.
- [48] Ranganathan A 2004 *The Levenberg-Marquardt algorithm*, *Tutorial on LM Algorithm*
- [49] Aoyama H, Souma W, Nagahara Y, Okazaki M P, Takayasu H, and Takayasu M 2000 *Pareto's law for income of individuals and debt of bankrupt companies*, *Fractals*, **8** (3), 293–300.

- [50] Gravetter F and Wallnau L 1013 *Essentials of statistics for the behavioral sciences*, (Cengage Learning), ch.8
- [51] Fairthorne R A 1969 *Empirical hyperbolic distributions (Bradford-Zipf-Mandelbrot) for bibliometric description and prediction*, *Journal of Documentation*, **25**, 319-343.
- [52] Rose C, Murray D, and Smith D 2002 *Mathematical Statistics with Mathematics*, Springer, New York, p. 107.
- [53] Ausloos M 2013 *A scientometrics law about co-authors and their ranking The co-author core*, *Scientometrics* **95**, 895-909
- [54] Ausloos M 2014 *Binary Scientific Star Coauthors Core Size*, *Scientometrics*, 1-21; *arxiv* 1401.4069
- [55] Bougrine H 2014 *Subfield Effects on the Core of Coauthors*, *Scientometrics* **98**(2), 1047-1064.
- [56] Miskiewicz J 2013 *Effects of Publications in Proceedings on the Measure of the Core Size of Coauthors*, *Physica A* **392** (20), 5119-5131.
- [57] Rotundo G 2014 *Black-Scholes-Schrödinger-Zipf-Mandelbrot model framework for improving a study of the coauthor core score*, *Physica A* **404**, 296-301.
- [58] Brakman S, Garretsen H, van Marrewijk, C and van den Berg M 1999 *The Return of Zipf: Towards a Further Understanding of the Rank-Size Distribution*, *Journal of Regional Science* **39**, 182-213
- [59] Nicolis G and Prigogine I 1977 *Self-Organization in Nonequilibrium Systems: From Dissipative Structures to Order Through Fluctuations* (Wiley, New York)
- [60] Bedeaux D and Mazur P 1981 *Stability of Inhomogeneous Stationary States for the hotspot Model of a Superconducting Microbridge*, *Physica A* **105**, 1-30
- [61] Mazur P and Bedeaux D 1981 *An Electro-Thermal Instability in a Conducting Wire: Homogeneous and Inhomogeneous Stationary States for an Exactly Solvable Model*, *J. Stat. Phys.* **24**, 215-233
- [62] Ausloos M 1981 *Continuously Forded Ballast Resistor Model for Superconducting Hot Spots*, *Physica B* **108**, 969-970
- [63] Klimenko A Y and Pope S B 2012 *Propagation speed of combustion and invasion waves in stochastic simulations with competitive mixing*, *Combustion Theory and Modelling* **164** 679-714
- [64] Klimenko A Y 2012 *Mixing, entropy and competition*, *Physica Scripta* **85**, 068201
- [65] Kuettner J 1959 *The band structure of the atmosphere*, *Tellus* **11**, 267-294
- [66] Romanovsky V 1940 *Une application des tourbillons convectifs Formation des sols polygonaux*, *J. Phys. Radium*, **1**, 346-349

- [67] Romanovsky V 1941 *Application du critérium de Lord Rayleigh à la formation des tourbillons convectifs dans les sols polygonaux du Spitzberg*, *C. R. Acad. Sci. Paris* **211**, 877–878
- [68] Carathéodory C 1976 *Investigations into the foundations of thermodynamics*, *The Second Law of Thermodynamics* **5**, 229–256
- [69] Lieb E H and Yngvason J 1999 *The physics and mathematics of the second law of thermodynamics*, *Phys. Rep.* **310**, 1-96
- [70] Caram L, Caiafa C, Proto A, and Ausloos M 2010 *Dynamic peer-to-peer competition*, *Physica A* **389**(13), 2628-2636
- [71] Merton R K 1968 *The Matthew Effect*, *Science* **159**, 56-63.